

Doors of aluminium. Specifications

23747-88

34

52 7120

1 1989

1.

2.

3.

15.06.1988 N 111.

4.

5.

6.

- 1995 ;  
23747-79.

- 5

9.031-74	2.2.4
9.032-74	2.2.4
9.074-77	4.5
9.104-79	
9.301-86	2.2.4
9.302-79	4.5
9.303-84	2.2.6
166-80	4.6
380-71	2.3.3
882-75	4.6
1050-74	2.3.2
2789-73	2.2.18
2991-85	2.6.4
5378-66	4.6
5632-72	2.3.2
7502-80	4.6
8273-75	2.6.2
8828-75	2.6.2; 2.6.4
9378-75	4.7
9569-79	2.6.2
10354-82	2.6.4
12085-73	4.9
12172-74	2.3.9
13489-79	2.3.8
14192-77	2.5.2
15150-69	
15907-70	2.3.9
16338-85	2.3.6
17308-85	2.6.2
19729-74	4.9
21631-76	2.3.5

22233-83	2.2.15; 2.3.1; 2.3.5
23616-79	3.3
23832-79	2.3.9
25797-83	2.3.10
25891-83	2.2.2; 4.2
26254-84	4.1
2.01.07-85	2.2.3
2.03.11-85	6.1
11-3-79	2.2.1

15150-69, ( - )

9.104-79.

( )

1.

1.1.

2.

2.1.

2.2.

2.2.1.

2.2.2.

2.2.3.

11-3-79.

25891-83 ( . 1).

100000

2.01.07-85

2.2.4.

1

9.301-86

9.031-74.

9.032-74.

70

2.2.5.

2.2.6.

9.303-84

9

1000

2.2.7.

2.2.8.

( , .)

2.2.9.

50

2.2.10.

2.2.11.

2.2.12.

.1.

500	-	0
500 " 2000	+1,0	-0,5
	0	0
	0	-1,0



2.5.2. 14192-77.  
 2.5.3. -  
 2.6.  
 2.6.1.  
 2.6.2. 8828-75 9569-79  
 17308-85 300 - 350 8273-75.  
 2.6.3.  
 2.6.4. 8828-75  
 10354-82 2991-85,  
 2.6.5. 3.  
 3.1. 200  
 3.2.  
 3.3. 23616-79, . 2.2.4; 2.2.12 - 2.2.15; 2.2.18; 2.4;  
 2.6, 2

	25	1	5	0	1
		1	5	0	2
26 "	90	2	5	1	2
" 91 "	200	1	8	0	2
		2	8	1	2

3.4. . 2.2.1 2.2.2.

3.5.

4.

4.1. ( . 2.2.1) 26254-84.  
 4.2. ( . 2.2.2) 25891-83.  
 4.3. ( . 2.2.3)  
 4.4. ( . 2.2.3)  
 4.5. ( . 2.2.4) 9.302-79 9.074-77.  
 4.6. ( . 2.2.7; 2.2.12 - 2.2.17) 7502-80, -III 166-80,  
 5378-66, II 882-75 <\*>

<\*> 01.01.89 - 2-034-225-87

4.7. ( . 2.2.18)

4.8. 9378-75. ( . 2.2.19)

4.9.

( . 2.2.20)

12085-73,

19729-74

4.10.

( . 2.3.1 - 2.3.10)

5.

5.1.

5.1.1.

5.1.2.

5.2.

6.

6.1.

2.03.11-85.

6.2.

7.

1

. 1

2

. 2

1 -  
3 -

; 2 -

; 4 -

;